

The server name i	S		
☐ We are ex	per: <u>6201</u> specting a socket conto initiate login with	a 93 with the	
□ We'll resp		en normal transactions	s can begin
*Connection will b	e disconnected when	n it has been idle for m	ore than 60 minutes
Message 93 sampl 9300CN usernam		bid:location AY3AZEE	EAF
Here are some use	ers:		
Institution ID	Patron Identifier	Patron Password	

Request	AGSIP2 Responses
11 – CheckOut	12 – Checkout Response
17 – Item Information	18 – Item Information Response
23 – Patron Status	24 – Patron Status
63 – Patron Information	64 – Patron Information
99 – System Check	98 – Status w/ current date/time
97 - Resend Data	Resends Last response
	96 – Please Resend last request

Message 23/63: Patron Status/Information

Require: institution id, patron identifier, patron password

institution id	AO	variable-length required field
patron identifier	AA	variable-length required field (barcode)
patron password	AD	variable-length required field

24 - Patron Status Response

Page 1 of 7 Date: 10/27/2009



		<u> </u>		
patron status		14-char, fixed-length required field		
language		3-char, fixed-length required field		
transaction date		18-char, fixed-length required field		
institution id	AO	variable-length required field		
patron identifier	AA	variable-length required field		
personal name	AE	variable-length required field		
valid patron	BL	1-char, optional field: Y or N		
valid patron	CQ	1-char, optional field: Y or N		
password				
currency type	BH	3-char fixed-length optional field		
		3/21/07 – not to output "USD" because some customers are		
		in Canada		
fee amount	BV	variable-length optional field. The amount of fees owed by		
		this patron		
screen message	AF	variable-length optional field		
print line	AG	variable-length optional field		

Note: supported by AG

64 - Patron Information Response

AG has defined new field "|UC" – Patron has permission to use the computer

patron status		14-char, fixed-length required field
language		3-char, fixed-length required field
transaction date		18-char, fixed-length required field
hold items count		4-char, fixed-length required field
overdue items		4-char, fixed-length required field
count		,
charged items		4-char, fixed-length required field
count		
fine items count		4-char, fixed-length required field (output 4 spaces)
recall items count		4-char, fixed-length required field (output 4 spaces)
unavailable holds		4-char, fixed-length required field
institution id	AO	variable-length required field
patron identifier	AA	variable-length required field
personal name	AE	variable-length required field
hold items limit	BZ	4-char, fixed-length optional field
overdue items limit	CA	4-char, fixed-length optional field
charged items limit	СВ	4-char, fixed-length optional field
valid patron	BL	1-char, optional field: Y or N
valid patron	CQ	1-char, optional field: Y or N

Page 2 of 7 Date: 10/27/2009



BH	3-char fixed-length optional field	
	3/21/07 – not to output "USD" because some customers are	
	in Canada	
BV	variable-length optional field. The amount of fees owed by	
	this patron	
CC	variable-length optional field. The fee limit amount	
	item: zero or more instances of one of the following, based	
	on "summary" field of the Patron Information message	
AS	variable-length optional field (this field should be sent for	
	each hold item).	
AU	variable-length optional field (this field should be sent for	
	each charged item).	
BD	variable-length optional field	
BE	variable-length optional field	
BF	variable-length optional field	
	- ·	
AF	variable-length optional field	
AG	variable-length optional field	
UC	1-char, optional field: optional field: A, C, J, Y, or N (Patron	
	allows to use computer)	
	Output UC when the database has defined "Computer Use"	
	option	
	·	
	AS AU BD BE BF AF AG	

Patron Profile - available upon requested

Patron expiration	PA	variable-length option field (No PA when no expiration date		
date		has been defined) PAYYYYMMDD or PAMM/DD/YYYY		
Patron	PC	variable-length optional field (patron category)		
profile/category				
Date of birth	PB	variable-length optional field PBMM/DD/YYYY		

Note: supported by AG

11 Checkout

This message is used by the SC to request to check out an item, and also to cancel a Checkin request that did not successfully complete. The ACS must respond to this command with a Checkout Response message.

SC renewal policy	1-char, fixed-length required field: Y or N. Y – SC has been configured by the library staff
	to do renewals

Page 3 of 7 Date: 10/27/2009



Auto-Graphics

SIP2 Messages Supported by SIP2 Service

		AG support "Y"
no block		1-char, fixed-length required field: Y or N.
		AG does not support "Y"
transaction date		18-char, fixed-length required field:
		YYYYMMDDZZZZHHMMSS
nb due date		18-char, fixed-length required field:
		YYYYMMDDZZZZHHMMSS
institution id	AO	variable-length required field (library id)
patron identifier	AA	variable-length required field (patron
		barcode)
item identifier	AB	variable-length required field (item barcode)
terminal password	AC	variable-length required field blank
item properties	CH	variable-length optional field AG-ignore
patron password	AD	variable-length optional field AG-does not
		require password
fee acknowledged	ВО	1-char, optional field: Y or N
		N = if there is a fee associated with checking
		out the item, the ACS should tell the SC in the
		Checkout Response that there is a fee, and
		refuse to check out the item
cancel	BI	1-char, optional field: Y or N
		(Not supported – returned Checkout OK=
		0)

Note: supported by AG

12 Checkout Response

This message must be sent by the ACS in response to a Checkout message from the SC.

ok	1-char, fixed-length required field: 0 or 1. 1 = the ACS checked out the item to the patron 0 = the ACS did not check out the item to the patron
renewal ok	1-char, fixed-length required field: Y or N. Y = the patron requesting to check out the item already has the item checked out N = the item is not already checked out to the requesting patron
magnetic media	1-char, fixed-length required field: Y or N or U. Y = magnetic media
desensitize	1-char, fixed-length required field: Y or N or U. Y = SC should desensitize the article
transaction date	18-char, fixed-length required field:

Page 4 of 7 Date: 10/27/2009



Auto-Graphics

SIP2 Messages Supported by SIP2 Service

_	<u> </u>
	YYYYMMDDZZZZHHMMSS
AO	variable-length required field
AA	variable-length required field
AB	variable-length required field
AJ	variable-length required field (up to 80
	characters)
AH	variable-length required field
	Format: MM/DD/YYYY 2:10 pm
BT	2-char, fixed-length optional field (01 thru 99)
	AG – return 06 → rental when fee amount is
	not equal to zero
CI	1-char, fixed-length optional field: Y or N.
	Y - notify the SC to ignore the security status of
	the item.
BH	3-char fixed-length optional field
BV	variable-length optional field. The amount of
	the fee associated with checking out this item
	0.00 if there is no fee associated with checking
	out the item
CK	-char, fixed-length optional field
CH	variable-length optional field
BK	variable-length optional field
AF	variable-length optional field
AG	variable-length optional field
	AA AB AJ AH BT CI BH BV CK CH BK AF

Note: supported by AG

17 Item Information

This message may be used to request item information. The ACS should respond with the Item

Information Response message.

transaction date		18-char, fixed-length required field:
		YYYYMMDDZZZZHHMMSS
institution id	AO	variable-length required field (library id)
item identifier	AB	variable-length required field (item barcode)
terminal password	AC	variable-length required field blank

Note: supported by AG

18 Item Information Reponse

Page 5 of 7 Date: 10/27/2009



Auto-Graphics

SIP2 Messages Supported by SIP2 Service This message may be used to request item information. The ACS should respond with

This message may be used to request item information. The ACS should respond with the Item Information Response message.

	2-char, fixed-length required field (00 thru 99)
	2-char, fixed-length required field (00 thru 99)
	(01)
	2-char, fixed-length required field (01 thru 99).
	The type of
	fee associated with checking out this item (00)
	18-char, fixed-length required field:
	YYYYMMDDZZZZHHMMSS
CF	variable-length optional field
AH	variable-length optional field
CJ	18-char, fixed-length optional field:
	YYYYMMDDZZZZHHMMSS
CM	18-char, fixed-length optional field:
	YYYYMMDDZZZZHHMMSS
AB	variable-length required field (item barcode)
AJ	variable-length required field (up to 80
	characters)
BG	variable-length optional field
BH	3-char fixed-length optional field
BV	variable-length optional field. The amount of
	fees associated with this item
CK	3-char, fixed-length optional field
AQ	variable-length optional field
AP	variable-length optional field
CH	variable-length optional field
AF	variable-length optional field
	AH CJ CM AB AJ BG BH BV CK AQ AP CH

Note: supported by AG

Page 6 of 7 Date: 10/27/2009



screen message	
Access denied. (Login msg 93 is required)	
Does not support checkout with no block = Y	
Invalid Item Barcode	
Patron id is not defined	
Patron account is Blocked	
Patron account is Expired	
Cannot locate Patron account	
Item has an Exception: ???	
Item has an Exception: Checked Out	
Item is currently Non-Circulating	
Item is above the renewal limit of ##	
Item currently has holds placed against it	
Item has Checkout Fees - ##	
You have reached the Checkout Limit of ##	
Item has Checkout Fees – #.##	
Item has Checkout Fees – 0.10	
Not Supported	
The institution id is not defined.	
Your account cannot be located. Please see your	
librarian for assistance.	
The institution id is invalid.	
Password does not match your account.	
Access denied. Please see your librarian for	**
assistance.	

^{**} applied to hard block and soft block

Page 7 of 7 Date: 10/27/2009